ELSEVIER

AUTHOR INDEX

A

Abdelaziz OS, Ogilvy CS, Lev M. Is there a potential role for hyoid bone compression in pathogenesis of carotid artery stenosis?, 650
Abe H. *See* Hida K; Murata J-I
Abe T, Matsumoto K, Homma H, Kawamura N, Iwata T, Nemoto S. Dorsum sellae meningioma mimicking pituitary macroadenoma: Case report, 543
Adler JR Jr. *See* Chang SD
Agner C. Functional outcome and the effect of cranioplasty after retromastoid craniectomy for microvascular decompression, 197–com
Aiello MT. *See* Espinosa J
Al-Abedeen Jamjoom Z. *See* Naim-Ur-Rahman
Albayrak A. *See* Caner H
Aletich V. *See* Koenigsberg RA
Alexander E Jr
  American Surgery: An Illustrated History, 468–br
  Cervical myelopathy due to migration of Torkildsen's shunt: Case report, 30–com
  Neurosurgical heritage: Fathers/sons/daughters in neurosurgery in the U.S. and Canada, 680–ed
Alexander MJ. Treatment of unruptured cerebral aneurysms, 356–com
Alp H. *See* Orbay T
Altinörs N. *See* Caner H
Anandh B. *See* Mohanty A
Anderson D. *See* Origitano TC
Angelov L. *See* Feldkamp MM
Anson JA. Porcine small intestinal submucosa as a dural substitute, 104–com
Anton R. *See* Yamada Shokei
Apfelbaum RI. Functional outcome and the effect of cranioplasty after retromastoid craniectomy for microvascular decompression, 197–com
Arunkumar MJ, Selvapandian S, Rajshekhar ChV. Penetrating intracranial wooden object: Case report and review of CT morphology, complications, and management, 617
Asai J-I. *See* Nagashima G
Asano T. *See* Tsutsumi K
Ataoğlu Ö. *See* Orbay T
Atkinson JLD
  Cerebrovascular reactivity before and after carotid endarterectomy, 326–com
  Traumatic dissection of the common carotid artery after blunt injury to the neck, 520–com
Ausman J. *See* Hoffman WE; Koenigsberg RA
  The business of surgery, 113–ed
  The business of surgery: Operations management and strategic planning. Part II: Preoperative planning, 347–ed
  The business of surgery: Operations management and strategic planning Part III: Operating room management, 577–ed
  Management of multilevel cervical spondylosis with myelopathy, 4
  The New England Journal of Medicine report on unruptured intracranial aneurysms: A critique, 227–ed
  Omental transposition for cerebral infarction: A 13-year follow-up study, 345–com
  Some thoughts about what the youngest people in medicine are thinking, 587–ed
  In this issue, 2–ed, 115–ed, 235–ed, 353–ed, 471–ed, 583–ed
  What are physicians thinking? A survey of first-year medical students, 584
Ayuzawa S. *See* Matsumura A
Azar-Kia B. *See* Origitano TC

B

Badylak SF. *See* Cobb MA
Barr AN. Facial canal decompression leads to recovery of combined facial nerve paresis and trigeminal sensory neuropathy: Case report, 201–com
Barzó P, Vörös E, Bodosi M. Intraventricular hemorrhage as false localizing sign of a thoracolumbar arteriovenous malformation: Case report, 430
Batjer HH. Clinoid and paraclinoid aneurysms: Surgical anatomy, operative techniques, and outcome, 488–com
Baumann T. *See* Favre J
Bederson JB. *See* Brisman MH
Behnke J. *See* Herms JW
Bekar A. *See* Corden T
Benli S. *See* Caner H
Bernanke DH. *See* Zubkov AY
Besser M. Optimal clip application and intraoperative angiography for intracranial aneurysms, 126–com
Bhagwati SN. Craniocervical junction tuberculosis: A rare but dangerous disease, 26–com
Bhatti RA. *See* Ebraheim NA
Blagus G. *See* Hećimović I
Bodosi M. *See* Barzó P
Boggan JE. *See* Gilmer-Hill HS
Bonkowski J. Shunts: Are they flow-controlled, pressure-controlled, or neither?, 105
Boop FA. *See* Cobb MA
Brady KM, Font RL, Lee AG. Muslin-induced intracranial sterile abscess. A cause of visual loss after aneurysm repair, 566
Brassier G. *See* Morandi X

© 1999 by Elsevier Science Inc.
655 Avenue of the Americas, New York, NY 10010

0090-3019/99/$–see front matter
SSDI 0090-3019

Bricolo A. *See* Talacchi A
Brisman MH, Tuhrim S, Jenkins A III, Bederson JB. Thyrocervical to vertebral artery transposition and ipsilateral carotid endarterectomy, 327
Brotchi J
Intramedullary cavernous angioma. Resection by oblique corpectomy, 441–com
Operative approach to mediosuperior cerebellar tumors: Occipital interhemispheric transtentorial approach, 425–com
Brunori A, Cerasoli S, Donati R, Giangaspero F, Chiappetta F. Solitary fibrous tumor of the meninges: Two new cases and review of the literature, 636
Buchfelder M. *See* Popadić A
Burchiel KJ. *See* Favre J
Burger PC. Cerebellar clear cell ependymoma mimicking hemangioblastoma: Its clinical and pathological features, 287–com

C

Çalisaneller T. *See* Caner H
Campanelli M, Kattner KA, Stroink A, Gupta K, West S. Posterior C1-C2 transarticular screw fixation in the treatment of displaced Type II odontoid fractures in the geriatric population-review of seven cases, 596
Camras L. *See* Koenigsberg RA
Canale DJ. Preventing complications in spine surgery, 230–rc
Caner H, Altinörs N, Benli S, Çalisaneller T, Albayrak A. Akinetic mutism after fourth ventricle choroid plexus papilloma: Treatment with a dopamine agonist, 181
Cardozo D. *See* Molina OM
Carvalho GA. *See* Samii M
Catapano D. *See* D'Angelo V
Catapano G. *See* D'Angelo V
Cerasoli S. *See* Brunori A
Chan K-H. *See* Fan Y-W
Chang J. *See* Patil A-A
Chang SD, Yap OWS, Adler JR Jr. Symptomatic vasospasm after resection of a suprasellar pilocytic astrocytoma: Case report and possible pathogenesis, 521
Charbel FT. *See* Hoffman WE
Chiappetta F
Optimal clip application and intraoperative angiography for intracranial aneurysms, 126–com
See Brunori A
Chou SN. Cervical myelopathy due to migration of Torkildsen's shunt: Case report, 30–com
Ciritella P. *See* D'Angelo V
Citow JS, Macdonald RL. Posterior decompression of the vertebral artery narrowed by cervical osteophyte: Case report, 495
Coates R. *See* Kanaan IU
Cobb MA, Badylak SF, Janas W, Simmons-Byrd A, Boop FA. Porcine small intestinal submucosa as a dural substitute, 99
Cohen JE, Mierez R, Tsal EC. Postcraniotomy gas-containing brain abscess a neurosurgical emergency. Case report, 568
Cole HO. Penetrating intracranial wooden object: Case report and review of CT morphology, complications, and management, 617–com
Colina JL. *See* Molina OM
Coons SW. Graphic analysis of microscopic tumor cell infiltration, proliferative potential, and vascular endothelial growth factor expression in an autopsy brain with glioblastoma, 299–com
Corden T, Bekar A, Yaman O, Tolunay Ş. Spinal subarachnoid hemorrhage attributable to schwannoma of the cauda equina, 372
Cordula M. Suboccipital resection of a medial acoustic neuroma with hearing preservation, 553–com

D

D'Angelo V, Catapano G, Catapano D, De Vivo P, Ciritella P, Parlatore L. Cerebrovascular reactivity before and after carotid endarterectomy, 321
Davis RA. The projection of the cervical disc and uncinate process on the posterior aspect of the cervical spine, 367–com
De Caro GFM. *See* Fraioli B
De Jesús O
Rosado JE. Tentorial dural arteriovenous fistula obliterated using the petrosal approach, 164
Sekhar LN, Riedel CJ. Clinoid and paraclinoid aneurysms: Surgical anatomy, operative techniques, and outcome, 477
De Micheli E. *See* Talacchi A
de Sousa AA
Clinoid and paraclinoid aneurysms: Surgical anatomy, operative techniques, and outcome, 488–com
Optimal clip application and intraoperative angiography for intracranial aneurysms, 125–com
De Vivo P. *See* D'Angelo V
Debrun G
Delayed thrombus propagation after parent artery clipping for giant fusiform aneurysms of the circle of Willis, 93–com
Embolization on a ruptured aneurysm of the distal anterior inferior cerebrallar artery: A case report and review of the literature, 512–com
Intra-arterial papaverine for the treatment of cerebral vasospasm following aneurysmal subarachnoid hemorrhage, 65–com
Intraventricular hemorrhage as false localizing sign of a thoracolumbar arteriovenous malformation: Case report, 434–com
Morphological changes after percutaneous transluminal angioplasty, 403–com
Transluminal angioplasty and intra-arterial papaverine for the treatment of cerebral vasospasm after ruptured arteriovenous malformations, 80–com
Traumatic dissection of the common carotid artery after blunt injury to the neck, 520–com
Treatment of unruptured cerebral aneurysms, 360–com
Vertebral arteriovenous fistula that developed in the same place as a previous ruptured aneurysm: A case report, 173–com
See Koenigsberg RA

Delfini R, Dorizzi A, Facchinetti G, Faccioli F, Galzio R, Vangelista T. Delayed post-traumatic cervical instability, 588
Di Rocco C
Arachnoid cysts of the posterior fossa, 382–com
Pediatric syringomyelia with Chiari malformation: Its clinical characteristics and surgical outcomes, 390–com
Diaz FG
Posterior decompression of the vertebral artery narrowed by cervical osteophyte: Case report, 494–com
Thyrocervical to vertebral artery transposition and ipsilateral carotid endarterectomy, 330–com
Djalilian HR, Shah MV, Hall WA. Radiographic incidence of multicentric malignant gliomas, 554
Dmitrović B. *See* Hećimović I
Do HM. *See* Kaptain GJ
Doi M. *See* Matsumura A
Donati R. *See* Brunori A
Donnet A, Trefouret S, Millet Y, Grisoli F. Pituitary abscess revealed by sleep attacks, 564
Dorizzi A. *See* Delfini R
Dorsch NWC. A prospective study on the effects of early surgery on vasospasm after subarachnoid hemorrhage, 397–com
Dowd CF
Development of a dural arteriovenous fistula around the jugular valve after transvenous embolization of cavernous dural arteriovenous fistula, 176–com
Direct cervical internal carotid access for GDC treatment of an ophthalmic origin carotid aneurysm, 508–com
Dujovny M. Functional outcome and the effect of cranioplasty after retromastoid craniectomy for microvascular decompression, 197–com

E

Ebraheim NA, Xu R, Bhatti RA, Yeasting RA. The projection of the cervical disc and uncinate process on the posterior aspect of the cervical spine, 363
Eiter H. *See* Popadić A
El-Bakry A. *See* Naim-Ur-Rahman
Elias WJ
Lanzino G, Reitmeyer M, Jane JA. Solitary sarcoid granuloma of the cerebellopontine angle: A case report, 185
See Simmons NE
Ellis M. *See* Kanaan IU
Enomoto T. *See* Matsumura A
Espinosa J, Aiello MT, Naritoku DK. Revision and removal of stimulating electrodes following long-term therapy with the vagus nerve stimulator, 659
Ezuka I. *See* Kakinuma K

F

Facchinetti G. *See* Delfini R
Faccioli F. *See* Delfini R
Falloon T. *See* Patil A-A
Fan Y-W, Chan K-H, Lui W-M, Hung K-N. Retrograde suction decompression of paraclinoid aneurysm-A revised technique, 129
Faria MA Jr. Medical warriors: Fighting corporate socialized medicine in America, 473
Favre J, Taha JM, Baumann T, Burchiel KJ. Computer analysis of the tonic, phasic, and kinesthetic activity of pallidal discharges in Parkinson patients, 665
Feldkamp MM, Angelov L, Guha A. Neurofibromatosis Type 1 peripheral nerve tumors: Aberrant activation of the Ras pathway, 211
Firlik AD. *See* Firlik KS
Firlik KS, Kaufmann AM, Firlik AD, Jungreis CA, Yonas H. Intra-arterial papaverine for the treatment of cerebral vasospasm following aneurysmal subarachnoid hemorrhage, 66
Flickinger JC. *See* Muthukumar N
Font RL. *See* Brady KM
Fontaine D, Lot G, George B. Intramedullary cavernous angioma. Resection by oblique corpectomy, 435
Fraioli B, Pastore FS, Signoretti S, De Caro GMF, Giuffrè R. The surgical treatment of pituitary adenomas in the eight decade, 261
Frey CF. *See* Gilmer-Hill HS
Fujii K. *See* Kawano N
Fujimoto T. *See* Nagashima G
Fujita K. *See* Suzuki K
Fujita S. *See* Hosoda K
Fukui M
Evaluation of neuronal loss in adult moyamoya disease by ^{123}I-Iomazenil SPECT, 163–com
Non-anastomotic bypass surgery for childhood moyamoya disease using dural pedicle insertion over the brain surface combined with encephalogaleomyosyangiosis, 411–com
Fukunaga A, Uchida K, Hashimoto J, Kawase T. Neuropsychological evaluation and cerebral blood flow study of 30 patients with unruptured cerebral aneurysms before and after surgery, 132
Fukushima T. *See* Yamamoto M
Futami S. *See* Sameshima T
Futrell N. Dural arteriovenous malformation manifesting as dementia due to ischemia in bilateral thalami. A case report, 494–com

G

Galzio R. *See* Delfini R
Gao Y-z. *See* Yang S-y
Gaviria M. Neuropsychological evaluation and cerebral blood flow study of 30 patients with unruptured cerebral aneurysms before and after surgery, 138–com
George B
Treatment of unruptured cerebral aneurysms, 356–com
See Fontaine D
George E. *See* Horowitz MB
Giangaspero F. *See* Brunori A
Giannotta SL. Tentorial dural arteriovenous fistula obliterated using the petrosal approach, 167–com
Gilmer-Hill HS
Boggan JE, Smith Ka, Frey CF, Wagner FC Jr Hein LJ. Intrathecal morphine delivered via subcutaneous pump for intractable pain in pancreatic cancer, 6
Boggan JE, Smith KA, Wagner FC Jr. Intrathecal morphine delivered via subcutaneous pump for

intractable cancer pain: A review of the literature, 12
Giuffrè R. *See* Fraioli B; Spallone A
Go Y. *See* Yamamoto M
Golden P. *Clostridium perfringens:* A rare cause of postoperative spinal surgery meningitis, 450–com
Goldsmith HS
Acute spinal cord injuries: A search for functional improvement, 231–rc
Sax DS. Omental transposition for cerebral infarction: A 13-year follow-up study, 342
Gonzales-Portillo G
Head Injury: Information and Answers to Commonly Asked Questions, 468–br
Sports-Related Concussion, 469–br
Gonzalez-Portillo G. *See* Hoffman WE
Goodman JM. *See* Kuzma BB
Goto K. *See* Ushikoshi S
Goya T. *See* Sameshima T
Greon RJM. Spinal epidural hematoma following MI, 349–rc
Grisoli F. *See* Donnet A
Guha A. *See* Feldkamp MM
Gujrati M. *See* Kristopaitis T
Gupta K. *See* Campanelli M

H

Hahn F. *See* Patil A-A
Hahn YS
Pediatric syringomyelia with Chiari malformation: Its clinical characteristics and surgical outcomes, 390–com
Principles and Practice of Pediatric Neurosurgery, 468–br
Hall WA. *See* Djalilian HR
Hamano M. *See* Yoshimoto Y
Hamano S. *See* Hosoda K
Hamlet A. *See* Morandi X
Handa H. *See* Nishiura I
Hanna A. *See* Morandi X
Harada H, Kumon Y, Hatta N, Sakaki S, Ohta S. Neurofibromatosis Type 2 with multiple primary brain tumors in monozygotic twins, 528
Harbaugh RE. Traumatic dissection of the common carotid artery after blunt injury to the neck, 520–com
Hardy J
Dorsum sellae meningioma mimicking pituitary macroadenoma: Case report, 547–com
Malignant prolactinoma: Case report and review of the literature, 54–com
Hardy RW Jr
Delayed post-traumatic cervical instability, 588–com
Postoperative prognosis of Brown-Séquard-type myelopathy in patients with cervical lesions, 246–com
Harkey HI. *See* Zubkov AY
Hashi K
Treatment of unruptured cerebral aneurysms, 357–com
See Kurokawa Y
Hashimoto J. *See* Fukunaga A
Hashimoto N. *See* Nishi S
Hashimoto Y. *See* Touho H
Hatta N. *See* Harada H
Hattori I. *See* Miyamoto S
Haugen GE. *See* Yamada Shokei
Hećimović I
Blagus G, Kristek B, Rukovanjski M, Vranković D. Successful treatment of traumatic acute posterior fossa subdural hematoma: Report of two cases, 247
Dmitrović B, Rubin O, Rukovanjski M, Vranković D. Skull osteolysis after mild head trauma: Case report, 43
Heinrich Z. *See* Paladino J
Henson SL. *See* Simmons NE
Herms JW, von Loewenich FD, Behnke J, Markakis E, Kretzschmar HA. C-MYC oncogene family expression in glioblastoma and survival, 536
Heros RC
Clinical usefulness of and problems with three-dimensional CT angiography for the evaluation of arteriosclerotic stenosis of the carotid artery: Comparison with conventional angiography, MRA, and ultrasound sonography, 308–com
Multidisciplinary approach to traumatic intracranial aneurysms secondary to shotgun and handgun wounds, 41–com
Hida K, Iwasaki Y, Koyanagi I, Abe H. Pediatric syringomyelia with Chiari malformation: Its clinical characteristics and surgical outcomes, 383
Hoffman H. Arachnoid cysts of the posterior fossa, 382–com
Hoffman HJ
Akinetic mutism after fourth ventricle choroid plexus papilloma: Treatment with a dopamine agonist, 184–com
Exclusive CNS involvement by lymphomatoid granulomatosis in a 12-year-old boy: A case report, 260–com
Extraventricular cerebral anaplastic ependymomas, 630–com
Radical surgery of a giant Galen's vein aneurysm using total circulatory arrest: Case report, 157–com
Hoffman WE, Charbel FT, Gonzalez-Portillo G, Ausman JI. Measurement of ischemia by changes in tissue oxygen, carbon dioxide, an pH, 654
Hokaku H. *See* Nagashima G
Homma H. *See* Abe T
Horowitz MB, Kopitnik TA, Landreneau F, Ramnani DM, Rushing EJ, George E, Purdy PP, Samson DS. Multidisciplinary approach to traumatic intracranial aneurysms secondary to shotgun and handgun wounds, 31
Hosoda K, Fujita S, Kawaguchi T, Shose Y, Hamano S, Iwakura M. Effect of clot removal and surgical manipulation on regional cerebral blood flow and delayed vasospasm in early aneurysm surgery for subarachnoid hemorrhage, 81
Hung K-N. *See* Fan Y-W

I

Iacono RP. *See* Yamada Shokei
Ide K. *See* Kohno M

Imaña R. Vertebral osteoblastoma: Are radiologic structural changes necessary for diagnosis, 429–com
Immaneni D. *See* Paspala AB
Isozumi T. *See* Nishiura I
Ito S. *See* Tsutsumi K
Iwakura M. *See* Hosoda K
Iwasaki Y. *See* Hida K
Iwata T. *See* Abe T

J
Jamjoom A. *See* Naim-Ur-Rahman
Janas W. *See* Cobb MA
Jane JA. *See* Elias WJ
Jannetta PJ
On the mechanism of transient postoperative deficit of cranial nerves, 226–com
See Lovely TJ
Jenkins A III. *See* Brisman MH
Jensen R. *See* Kristopaitis T
Jobe TH. Neuropsychological evaluation and cerebral blood flow study of 30 patients with unruptured cerebral aneurysms before and after surgery, 138–com
Joo JY. *See* Lee KC
Jungreis CA. *See* Firlik KS

K
Kagawa R. *See* Okada Y
Kaizu H. *See* Tsutsumi K
Kakinuma K, Ezuka I, Takai N, Yamamoto K, Sasaki O. The simple indicator for revascularization of acute middle cerebral artery occlusion using angiogram and ultra-early embolectomy, 332
Kaku Y. *See* Kubota Y
Kalfas IH. Posterior C1-C2 transarticular screw fixation in the treatment of displaced Type II odontoid fractures in the geriatric population-review of seven cases, 596–com
Kamiyama H. *See* Katoh M
Kanaan IU, Ellis M, Safi T, Zuheir M, Kawl A, Coates R. Craniocervical junction tuberculosis: A rare but dangerous disease, 21
Kaptain GJ, Lanzino G, Do HM, Kassell NF. Posterior inferior cerebellar artery aneurysms associated with posterior fossa arteriovenous malformation: Report of five cases and literature review, 146
Karasawa J. *See* Touho H
Kassell NF. *See* Kaptain GJ
Katoh M, Kamiyama H, Kobayashi N, Makino K, Takano K, Tokumitsu N, Takamura H. Severe stenosis of the internal carotid artery presenting as loss of consciousness due to the presence of a primitive hypoglossal artery: A case report, 310
Kattner KA. *See* Campanelli M
Kaufmann AM. *See* Firlik KS
Kawaguchi T. *See* Hosoda K
Kawamura N. *See* Abe T
Kawamura S, Yoshida T, Nonoyana Y, Yamada M, Suzuki A, Yasui N. Ruptured anterior spinal artery aneurysm: A case report, 608
Kawano N, Yagishita S, Komatsu K, Suwa T, Oka H, Utsuki S, Fujii K. Cerebellar clear cell ependymoma mimicking hemangioblastoma: Its clinical and pathological features, 281
Kawase T. *See* Fukunaga A
Kawl A. *See* Kanaan IU
Kaymaz M. *See* Orbay T
Kepes JJ. Cerebellar clear cell ependymoma mimicking hemangioblastoma: Its clinical and pathological features, 287–com
Khanna N. *See* Mohanty A
Kikuchi H. *See* Miyamoto S
Kinouchi H. Optimal clip application and intraoperative angiography for intracranial aneurysms, 124–com
Knighton RS. Cosmetic osteoplastic craniotomy with a chisel and hammer, 574–com
Kobayashi N. *See* Katoh M
Kobayashi S, Orz Y. Treatment of unruptured cerebral aneurysms, 355
Koch CA. Arachnoid cyst and epilepsy, 687–rc
Koenigsberg RA, Aletich V, Camras L, Debrun G, Ausman J. Direct cervical internal carotid access for GDC treatment of an ophthalmic origin carotid aneurysm, 506
Kohno M, Takahashi H, Yamakawa K, Ide K, Segawa H. Postoperative prognosis of Brown-Séquard-type myelopathy in patients with cervical lesions, 241
Kojima A. *See* Nishi S
Kolawole TM. *See* Naim-Ur-Rahman
Kolchinsky A
C-MYC oncogene family expression in glioblastoma and survival, 542–com
Neurofibromatosis Type 1 peripheral nerve tumors: Aberrant activation of the Ras pathway, 218–com
Neurofibromatosis Type 2 with multiple primary brain tumors in monozygotic twins, 535–com
Komatsu K. *See* Kawano N
Komminoth P. *See* Popadić A
Kondziolka D. *See* Muthukumar N
Kono K. *See* Yamamoto M
Kopitnik TA. *See* Horowitz MB
Kornblith PK. Radiographic incidence of multicentric malignant gliomas, 558–com
Kornblith PL
C-MYC oncogene family expression in glioblastoma and survival, 542–com
Complete response of a large brain metastasis of renal cell cancer to interferon-alpha: Case report, 291–com
Graphic analysis of microscopic tumor cell infiltration, proliferative potential, and vascular endothelial growth factor expression in an autopsy brain with glioblastoma, 299–com
Koyama T. *See* Nishiura I
Koyanagi I. *See* Hida K
Kretzschmar HA. *See* Herms JW
Kristek B. *See* Hećimović I
Kristopaitis T, Jensen R, Gujrati M. *Clostridium perfringens:* A rare cause of postoperative spinal surgery meningitis, 448
Kubota Y, Ueda T, Kaku Y, Sakai N. Development of a dural arteriovenous fistula around the jugular valve after transvenous embolization of cavernous dural arteriovenous fistula, 174
Kumate S. *See* Nakayama Y
Kumon Y. *See* Harada H
Kuroiwa T. *See* Ohta T

Kurokawa Y, Uede T, Hashi K. Operative approach to mediosuperior cerebellar tumors: Occipital interhemispheric transtentorial approach, 421
Kushner J, Career modification, 579–rc
Kuzma BB
Goodman JM. Diffusion MR imaging in acute stroke, 575
Goodman JM. Non-visualization of known cerebral aneurysms on MRA, 110

L

Laidlaw J. Successful treatment of traumatic acute posterior fossa subdural hematoma: Report of two cases, 251–com
Landreneau F. *See* Horowitz MB
Lanzino G. *See* Elias WJ; Kaptain GJ
Larner JM. *See* Shelton CH
Laws ER. *See* Shelton CH
Laws ER Jr
Malignant prolactinoma: Case report and review of the literature, 55–com
See Simmons NE
Lee AG. *See* Brady KM
Lee H-J. *See* Schulder M
Lee KC
Joo JY, Lee KS, Shin YS. Recanalization of completely thrombosed giant aneurysm: Case report, 94
Optimal clip application and intraoperative angiography for intracranial aneurysms, 128–com
Treatment of unruptured cerebral aneurysms, 356–com
Lee KS. *See* Lee KC
Lev M. *See* Abdelaziz OS
Levesque MF. *See* Parker F
Lewis AI. *See* Zubkov AY
Liewchanpattana K. *See* Ratanalert S
Litofsky NS, Megerian CA. Facial canal decompression leads to recovery of combined facial nerve paresis and trigeminal sensory neuropathy: Case report, 198
Loftus CM. Is there a potential role for hyoid bone compression in patheogenesis of carotid artery stenosis?, 650–com
Lombardo C. *See* Talacchi A
Lonser R. *See* Yamada Shokei
Lot G. *See* Fontaine D
Lovely TJ, Lowry DW, Jannetta PJ. Functional outcome and the effect of cranioplasty after retromastoid craniectomy for microvascular decompression, 191
Lowry DW. *See* Lovely TJ
Lüdecke DK. The surgical treatment of pituitary adenomas in the eight decade, 266–com
Lui W-M. *See* Fan Y-W
Lunsford LD. *See* Muthukumar N
Luzardo GD. *See* Molina OM

M

Macdonald RL
A prospective study on the effects of early surgery on vasospasm after subarachnoid hemorrhage, 398–com
Symptomatic vasospasm after resection of a suprasellar pilocytic astrocytoma: Case report and possible pathogenesis, 527–com
See Citow JS
Mafee MF. Third ventricular lesion masquerading as suprasellar disease, 180–com
Makhmudov UB. *See* Spallone A
Makino K. *See* Katoh M
Malis LI
Chronic progressive hematomyelia. Case report and review of the literature, 563–com
Intraventricular hemorrhage as false localizing sign of a thoracolumbar arteriovenous malformation: Case report, 434–com
Solitary sarcoid granuloma of the cerebellopontine angle: A case report, 190–com
Mandybur GT. *See* Yamada Shokei
Maniker AH. *See* Schulder M
Mann RF. Successful treatment of traumatic acute posterior fossa subdural hematoma: Report of two cases, 251–com
Markakis E. *See* Herms JW
Maruoka S. *See* Sato S
Matsui T. *See* Tsutsumi K
Matsumoto K. *See* Abe T
Matsumura A, Ayuzawa S, Doi M, Enomoto T, Takeuchi S, Yoshii Y, Nose T. Chronic progressive hematomyelia. Case report and review of the literature, 559
Matthies C
On the mechanism of transient postoperative deficit of cranial nerves, 226–com
See Samii M
Meacham WF. Cosmetic osteoplastic craniotomy with a chisel and hammer, 574–com
Megerian CA. *See* Litofsky NS
Meguro K. *See* Suzuki K
Meizelar JP. Posttraumatic brain stem distortion: A case report, 613–com
Mendez OE. *See* Molina OM
Menezes AH
Clinical results of the transoral operation for lesions of the craniovertebral junction and its abnormalities, 20–com
Craniocervical junction tuberculosis: A rare but dangerous disease, 26–com
Menovsky T, van Overbeeke JJ. On the mechanism of transient postoperative deficit of cranial nerves, 223
Meyer FB. Embolectomy for acute embolic occlusion of the internal carotid artery bifurcation, 320–com
Mierez R. *See* Cohen JE
Millet Y. *See* Donnet A
Miyahara S. *See* Sameshima T
Miyamoto S, Nagata I, Yamada K, Ueno Y, Nakahara I, Toda H, Hattori I, Kikuchi H. Delayed thrombus propagation after parent artery clipping for giant fusiform aneurysms of the circle of Willis, 89
Miyo T. *See* Nagashima G
Mizoi K. Clinoid and paraclinoid aneurysms: Surgical anatomy, operative techniques, and outcome, 488–com
Mohanty A, Venkatarama SK, Vasudev MK, Khanna N, Anandh B. Role of stereotactic aspiration in the management of tuberculous brain abscess, 443

Molina OM Colina JL, Luzardo GD, Mendez OE, Cardozo D, Velasquez HS, Cardozo JJ. Extraventricular cerebral anaplastic ependymomas, 630
Morandi X, Hanna A, Hamlet A, Brassier G. Anterior screw fixation of odontoid fractures, 236
Morimoto M. *See* Nishi S
Morisako T. *See* Touho H
Morita Y. *See* Sameshima T
Morooko Y. *See* Tanaka K
Mukhamedjanov DJ. *See* Spallone A
Murata J-I, Sawamura Y, Terasaka S, Saito H, Abe H. Complete response of a large brain metastasis of renal cell cancer to interferon-alpha: Case report, 289
Muthukumar N, Kondziolka D, Lunsford LD, Flickinger JC. Stereotactic radiosurgery for anterior foramen magnum meningiomas, 268

N

Nagashima G, Suzuki R, Hokaku H, Takahashi M, Miyo T, Asai J-I, Nakagawa N, Fujimoto T. Graphic analysis of microscopic tumor cell infiltration, proliferative potential, and vascular endothelial growth factor expression in an autopsy brain with glioblastoma, 292
Nagata I. *See* Miyamoto S
Naim-Ur-Rahman, El-Bakry A, Jamjoom A, Al-Abedeen Jamjoom Z, Kolawole TM. Atypical forms of spinal tuberculosis: Case report and review of the literature, 602
Nakagawa N. *See* Nagashima G
Nakagawa Y. *See* Tanaka K
Nakahara I. *See* Miyamoto S
Nakamura T. *See* Yamakami I
Nakayama Y, Tanaka A, Kumate S, Tomonaga M, Takebayashi S. Giant fusiform aneurysm of the basilar artery: Consideration of its pathogenesis, 140
Nanda A. *See* Wylen EL
Naritoku DK. *See* Espinosa J
Nemoto S. *See* Abe T
Neroni M. *See* Spallone A
Nishi S, Hashimoto N, Todaka T, Nomura M, Sawada M, Morimoto M, Kojima A. Cosmetic osteoplastic craniotomy with a chisel and hammer, 571
Nishida M. *See* Okada Y
Nishihara K. *See* Nishiura I
Nishiura I, Isozumi T, Nishihara K, Handa H, Koyama T. Surgical approach to ossification of the thoracic yellow ligament, 368
Nomura M. *See* Nishi S
Nonoyama Y. *See* Kawamura S
Nose T. *See* Matsumura A; Suzuki K

O

Ogata N. *See* Ushikoshi S
Ogilvy CS. *See* Abdelaziz OS
Ohshiro S. *See* Yamamoto M
Ohta S. *See* Harada H
Ohta T, Kuroiwa T. A drainage bag (jelly bag) using a superabsorbent polymer: Technical note, 464
Ojemann RG. Suboccipital resection of a medial acoustic neuroma with hearing preservation, 553–com
Oka H. *See* Kawano N
Okada Y, Shima T, Nishida M, Yamane K, Kagawa R. Traumatic dissection of the common carotid artery after blunt injury to the neck, 513
Oldershaw JB
  Clinical Neuromythology, 469–br
Ona J. *See* Yamakami I
Oppenheim JS, Spitzer DE, Segal DH. Fibrin glue for cranial defects, 350–rc
Orbay T, Ataoğlu Ö, Tali ET, Kaymaz M, Alp H. Vertebral osteoblastoma: Are radiologic structural changes necessary for diagnosis, 426
Origitano TC, Schwartz K, Anderson D, Azar-Kia B, Reichman OH. Optimal clip application and intraoperative angiography for intracranial aneurysms, 117
Orz Y. *See* Kobayashi S

P

Paladino J, Heinrich Z, Pirker N. Radical surgery of a giant Galen's vein aneurysm using total circulatory arrest: Case report, 153
Parker F, Levesque MF. Presurgical contribution of quantitative stereotactic positron emission tomography in temporo limbic epilepsy, 202
Parkinson D. Golf-related head injuries, 580–rc
Parlatore L. *See* D'Angelo V
Paspala AB, Sundaram C, Purohit AK, Immaneni D. Exclusive CNS involvement by lymphomatoid granulomatosis in a 12-year-old boy: A case report, 258
Pastore FS. *See* Fraioli B
Patil A-A, Falloon T, Hahn F, Cheng J, Wang S. Direct identification of ventrointermediate nucleus of the thalamus on magnetic resonance and computed tomography images, 674
Patterson RH. Dorsum sellae meningioma mimicking pituitary macroadenoma: Case report, 547–com
Pearce J. Penetrating intracranial wooden object: Case report and review of CT morphology, complications, and management, 617–com
Peerless SJ
  Giant fusiform aneurysm of the basilar artery: Consideration of its pathogenesis, 145–com
  Optimal clip application and intraoperative angiography for intracranial aneurysms, 125–com
  Recanalization of completely thrombosed giant aneurysm: Case report, 98–com
Penn RD
  Computer analysis of the tonic, phasic, and kinesthetic activity of pallidal discharges in Parkinson patients, 665–com
  Direct identification of ventrointermediate nucleus of the thalamus on magnetic resonance and computed tomography images, 674–com
Peter JC. Transcranial approach for transsphenoidal encephalocele: Report of two cases, 257–com
Philippon J. Choroid plexus papilloma of the cerebellopontine angle: A twelve patient series, 621–com
Phillips CD. *See* Shelton CH

Phuenpathom N. *See* Ratanalert S
Pirker N. *See* Paladino J
Popadić A, Witzmann A, Buchfelder M, Eiter H, Komminoth P. Malignant prolactinoma: Case report and review of the literature, 47
Post KD. Pituitary abcess revealed by sleep attacks, 565–com
Pritz MB. *See* Snyder WE
Purdy PP. *See* Horowitz MB
Purohit AK. *See* Paspala AB

R

Rajshekhar ChV. *See* Arunkumar MJ
Ramamurthi B
  Role of stereotactic aspiration in the management of tuberculous brain abscess, 446–com
Ramanurthi B
  Atypical forms of spinal tuberculosis: Case report and review of the literature, 602–com
Ramnani DM. *See* Horowitz MB
Ratanalert S, Saehaeng S, Sripairojkul B, Liewchanpattana K, Phuenpathom N. Nonshaved cranial neurosurgery, 458
Reichman OH. *See* Origitano TC
Reitmeyer M. *See* Elias WJ
Rhoton AL Jr. *See* Seoane E
Riedel CJ. *See* De Jesús O
Rosado JE. *See* De Jesús O
Rosenberg RN. Neurofibromatosis Type 2 with multiple primary brain tumors in monozygotic twins, 535–com
Rubin O. *See* Hećimović I
Rukovanjski M. *See* Hećimović I
Rushing EJ. *See* Horowitz MB

S

Saehaeng S. *See* Ratanalert S
Safi T. *See* Kanaan IU
Saito H. *See* Murata J-I
Sakai N. *See* Kubota Y
Sakaki S. *See* Harada H
Salazar JL
  Small cell carcinoma causing epidural hematoma: Case report, 59–com
  Spinal subarachnoid hemorrhage attributable to schwannoma of the cauda equina, 375–com
Sambasivan M. Role of stereotactic aspiration in the management of tuberculous brain abscess, 447–com
Sameshima T, Futami S, Morita Y, Yokogami K, Miyahara S, Sameshima Y, Goya T, Wakisaka S. Clinical usefulness of and problems with three-dimensional CT angiography for the evaluation of arteriosclerotic stenosis of the carotid artery: Comparison with conventional angiography, MRA, and ultrasound sonography, 300
Sameshima Y. *See* Sameshima T
Samii M
  Carvalho GA, Schuhmann MU, Matthies C. Arachnoid cysts of the posterior fossa, 378
  On the mechanism of transient postoperative deficit of cranial nerves, 226–com
  Recovery of hearing after removal of a large jugular foramen schwannoma: Report of two cases, 65–com
  Suboccipital resection of a medial acoustic neuroma with hearing preservation, 553–com
Samson D. Retrograde suction decompression of paraclinoid aneurysm-A revised technique, 131–com
Samson DS. *See* Horowitz MB
Sasaki O. *See* Kakinuma K
Sato M, Kodama N, Yamaguchi K. Posttraumatic brain stem distortion: A case report, 613
Sato S, Shirane R, Maruoka S, Yoshimoto T. Evaluation of neuronal loss in adult moyamoya disease by ^{123}I-Iomazenil SPECT, 158
Satoh A. *See* Yoshimoto Y
Sawada M. *See* Nishi S
Sawamura Y. *See* Murata J-I
Sax DS. *See* Goldsmith HS
Scalzo D. *See* Zubkov AY
Schlitt M. The power of the individual, 466–ed
Schmidt JH III. Ventricular decompression in aneurysm surgery, 579–rc
Schuhmann MU. *See* Samii M
Schulder M, Maniker AH, Lee H-J. Cervical myelopathy due to migration of Torkildsen's shunt: Case report, 27
Schwartz K. *See* Origitano TC
Segal DH. *See* Oppenheim JS
Segawa H. *See* Kohno M
Sekhar LN
  Multiple skull base meningioma: Case report, 280–com
  See De Jesús O
Selvapandian S. *See* Arunkumar MJ
Sen C. Petroclival meningioma. An attempt to define the role of skull base approaches in their surgical management, 419–com
Sengupta RP. Treatment of unruptured cerebral aneurysms, 361–com
Seoane E, Rhoton AL Jr. Compression of the internal jugular vein by the transverse process of the Atlas as the cause of cerebellar hemorrhage after supratentorial craniotomy, 500
Shah MV. *See* Djalilian HR
Shapiro WR
  Complete response of a large brain metastasis of renal cell cancer to interferon-alpha: Case report, 291–com
  Radiographic incidence of multicentric malignant gliomas, 558–com
Shelton CH, Phillips CD, Laws ER, Larner JM. Third ventricular lesion masquerading as suprasellar disease, 177
Shigeno T. *See* Tsutsumi K
Shima T. *See* Okada Y
Shimizu S. *See* Tanaka K
Shin YS. *See* Lee KC
Shirane R. *See* Sato S; Yoshida YK
Shose Y. *See* Hosoda K
Signoretti S. *See* Fraioli B
Simmons NE, Elias WJ, Henson SL, Laws ER Jr. Small cell carcinoma causing epidural hematoma: Case report, 56
Simmons-Byrd A. *See* Cobb MA

Sindou M. Intrathecal morphine delivered via subcutaneous pump for intractable pain in pancreatic cancer, 11–com
Sinha AK. Brain stem epidermoid cyst, 687–rc
Smith KA. *See* Gilmer-Hill HS
Smith RR. *See* Snyder WE
Snyder WE, Pritz MB, Smith RR. Suboccipital resection of a medial acoustic neuroma with hearing preservation, 548
Solomon RA
  Optimal clip application and intraoperative angiography for intracranial aneurysms, 128–com
  Treatment of unruptured cerebral aneurysms, 361–com
Sotelo J
  Brain abscess caused by *Streptococcus intermedius:* Two case reports, 222–com
  Postcraniotomy gas-containing brain abscess a neurosurgical emergency. Case report, 570–com
Spallone A
  Makhmudov UB, Mukhamedjanov DJ, Tcherekajv VA. Petroclival meningioma. An attempt to define the role of skull base approaches in their surgical management, 412
  Neroni M, Giuffrè R. Multiple skull base meningioma: Case report, 274
Spetzler RF. Treatment of unruptured cerebral aneurysms, 356–com
Spitzer DE. *See* Oppenheim JS
Sripairojkul B. *See* Ratanalert S
Stein BM. Intramedullary cavernous angioma. Resection by obique corpectomy, 441–com
Stoodley M
  Effect of clot removal and surgical manipulation on regional cerebral blood flow and delayed vasospasm in early aneurysm surgery for subarachnoid hemorrhage, 88–com
  Optimal clip application and intraoperative angiography for intracranial aneurysms, 127–com
Stroink A. *See* Campanelli M
Sturm V. Stereotactic radiosurgery for anterior foramen magnum meningiomas, 273–com
Sundaram C. *See* Paspala AB
Suwa T. *See* Kawano N
Suzuki A. *See* Kawamura S
Suzuki K, Meguro K, Wada M, Fujita K, Nose T. Embolization on a ruptured aneurysm of the distal anterior inferior cerebellar artery: A case report and review of the literature, 509
Suzuki R. *See* Nagashima G
Sypert GW
  Anterior screw fixation of odontoid fractures, 240–com
  Posterior C1-C2 transarticular screw fixation in the treatment of displaced Type II odontoid fractures in the geriatric population-review of seven cases, 596–com

T

Taha JM. *See* Favre J
Takahashi H. *See* Kohno M
Takahashi M. *See* Nagashima G
Takai N. *See* Kakinuma K
Takamura H. *See* Katoh M
Takano K. *See* Katoh M
Takebayashi S. *See* Nakayama Y
Takeno Y. *See* Ushikoshi S
Takeuchi S. *See* Matsumura A
Talacchi A, De Micheli E, Lombardo C, Turazzi S, Bricolo A. Choroid plexus papilloma of the cerebellopontine angle: A twelve patient series, 621
Tali ET. *See* Orbay T
Tanaka A. *See* Nakayama Y
Tanaka K, Morooko Y, Nakagawa Y, Shimizu S. Dural arteriovenous malformation manifesting as dementia due to ischemia in bilateral thalami. A case report, 489
Tasker RR. Computer analysis of the tonic, phasic, and kinesthetic activity of pallidal discharges in Parkinson patients, 665–com
Tcherekajev VA. *See* Spallone A
Tejima T. *See* Yoshimoto Y
Terasaka S. *See* Murata J-I
Toda H. *See* Miyamoto S
Todaka T. *See* Nishi S
Tokmitsu N. *See* Katoh M
Tolunay Ş. *See* Corden T
Tomonaga M. *See* Nakayama Y; Yamamoto M
Touho H, Morisako T, Hashimoto Y, Karasawa J. Embolectomy for acute embolic occlusion of the internal carotid artery bifurcation, 313
Trefouret S. *See* Donnet A
Tsai EC. *See* Cohen JE
Tsugu H. *See* Yamamoto M
Tsutsumi K, Asano T, Shigeno T, Matsui T, Ito S, Kaizu H. Transcranial approach for transsphenoidal encephalocele: Report of two cases, 252
Tuhrim S. *See* Brisman MH
Turazzi S. *See* Talacchi A

U

Uchida K. *See* Fukunaga A
Uda K. *See* Ushikoshi S
Ueda T. *See* Kubota Y
Uede T. *See* Kurokawa Y
Ueno Y. *See* Miyamoto S
Ushikoshi S, Goto K, Uda K, Ogata N, Takeno Y. Vertebral arteriovenous fistula that developed in the same place as a previous ruptured aneurysm: A case report, 168
Utsuki S. *See* Kawano N

V

van Overbeeke JJ. *See* Menovsky T
Vangelista T. *See* Delfini R
VanGilder JC. Pituitary abscess revealed by sleep attacks, 565–com
Vasudev MK. *See* Mohanty A
Velasquez HS. *See* Molina OM
Venkatarama SK. *See* Mohanty A
von Loewenich FD. *See* Herms JW
von Wild K. Petroclival meningioma. An attempt to define the role of skull base approaches in their surgical management, 420–com
Vörös E. *See* Barzó P
Vranković D. *See* Hećimović I

W
Wada M. *See* Suzuki K
Wagner FC Jr. *See* Gilmer-Hill HS
Wakai S. *See* Yoshimoto Y
Wakisaka S. *See* Sameshima T
Wang S. *See* Patil A-A
Weir B
Optimal clip application and intraoperative angiography for intracranial aneurysms, 127–com
A prospective study on the effects of early surgery on vasospasm after subarachnoid hemorrhage, 398–com
Treatment of unruptured cerebral aneurysms, 358–com
Weis B
Effect of clot removal and surgical manipulation on regional cerebral blood flow and delayed vasospasm in early aneurysm surgery for subarachnoid hemorahage, 88–com
West S. *See* Campanelli M
Willis BK. *See* Wylen EL
Witzmann A. *See* Popadić A
Wylen EL, Willis BK, Nanda A. Infection rate with replacement of bone fragment in compound depressed skull fractures, 452
Wyler AR. Presurgical contribution of quantitative stereotactic positron emission tomography in temporo limbic epilepsy, 210–com

X
Xu R. *See* Ebraheim NA Y

Y
Yagishita S. *See* Kawano N
Yamada K. *See* Miyamoto S
Yamada M. *See* Kawamura S
Yamada Shokei, Iacono RP, Manydybur GT, Anton R, Lonser R, Yamada Shoko Haugen GE. Endoscopic procedures for resection of arteriovenous malformations, 641
Yamada Shoko. *See* Yamada Shokei
Yamakami I, Nakamura T, Ona J, Yamaura A. Recovery of hearing after removal of a large jugular foramen schwannoma: Report of two cases, 60
Yamakawa K. *See* Kohno M
Yamamoto K. *See* Kakinuma K
Yamamoto M, Fukushima T, Ohshiro S, Go Y, Tsugu H, Kono K, Tomonaga M. Brain abscess caused by *Streptococcus intermedius:* Two case reports, 219
Yaman O. *See* Corden T
Yamane K. *See* Okada Y
Yamaura A. *See* Yamakami I
Yang S-y, Gao Y-z. Clinical results of the transoral operation for lesions of the craniovertebral junction and its abnormalities, 16
Yap OWS. *See* Chang SD
Yarzagaray L. Small cell carcinoma causing epidural hematoma: Case report, 59–com
Yasui N. *See* Kawamura S
Yeasting RA. *See* Ebraheim NA
Yokogami K. *See* Sameshima T
Yonas H
Compression of the internal jugular vein by the transverse process of the Atlas as the cause of cerebellar hemorrhage after supratentorial craniotomy, 499–com
Dural arteriovenous malformation manifesting as dementia due to ischemia in bilateral thalami. A case report, 494–com
See Firlik KS
Yoshida T. *See* Kawamura S
Yoshida YK, Shirane R, Yoshimoto T. Non-anastomotic bypass surgery for childhood moyamoya disease using dural pedicle insertion over the brain surface combined with encephalogaleomyosyangiosis, 404
Yoshii Y. *See* Matsumura A
Yoshimoto T
Endoscopic procedures for resection of arteriovenous malformations, 641–com
Optimal clip application and intraoperative angiography for intracranial aneurysms, 124–com
The simple indicator for revascularization of acute middle cerebral artery occlusion using angiogram and ultra-early embolectomy, 341–com
Treatment of unruptured cerebral aneurysms, 359–com
See Sato S; Yoshida YK
Yoshimoto Y, Wakai S, Satoh A, Tejima T, Hamano M. A prospective study on the effects of early surgery on vasospasm after subarachnoid hemorrhage, 392
Young WL. Measurement of ischemia by changes in tissue oxygen, carbon dioxide, an pH, 654–com

Z
Zoron MH. Measurement of ischemia by changes in tissue oxygen, carbon dioxide, an pH, 654–com
Zubkov AY
Lewis AI, Scalzo D, Bernanke DH, Harkey HL. Morphological changes after percutaneous transluminal angioplasty, 399
Lewis AI, Scalzo D. Transluminal angioplasty and intra-arterial papaverine for the treatment of cerebral vasospasm after ruptured arteriovenous malformations, 75
Zuheir M. *See* Kanaan IU

ELSEVIER

SUBJECT INDEX

A

Acoustic neuroma, medial, suboccipital resection, with hearing preservation, 548
Akinetic mutism, after fourth ventricle choroid plexus papilloma, dopamine agonist treatment, 181
Anaerobic bacteria, postcraniotomy gas-containing abscess, 568
Anaplastic ependymomas, extraventricular cerebral, 630
Aneurysm
  cerebral
    anterior spinal artery, ruptured, 608
    distal anterior inferior, embolization, 509
    intra-arterial papaverine for treatment of vasospasm, 66
    non-visualization on MR and MRA, 110
    surgery, clot removal effect on blood flow and vasospasm, 81
    unruptured, 355
    unruptured, neuropsychological study and blood flow study before surgery, 132
    ventricular decompression in, 579-le
  cerebral giant, completely thrombosed, recanalization of, 94
  cerebral giant fusiform
    basilar artery, 89140
    Circle of Willis, parent artery clipping for, 89
  clinoid and paraclinoid, anatomy, operative techniques, and outcome, 477
  giant Galen's vein, radical surgery using total circulatory arrest, 153
  intracranial
    grading scale, optimal clip application, 117
    muslin-induced sterile abscess, visual loss after repair, 566
    ophthalmic origin, direct cervical internal access for, 506
    posterior fossa arteriovenous malformation and, 146
    traumautic, secondary go gunshot wounds, 31
    unruptured, The New England Journal of Medicine report, 227-ed
  paraclinoid, retrograde suction, a revised technique, 129
  ruptured, vertebral arteriovenous fistula development in same place, 168
Angiography
  acute middle cerebral artery occlusion, ultra-early embolectomy, 332
  completely thrombosed giant aneurysm, recanalization of, 94
  CT, arteriosclerotic stenosis, carotid artery, 300
  dorsum sellae meningioma, mimicking pituitary macroadenoma, 543
  intraoperative, optimal clip application and, intracranial aneurysms, 117
  magnetic resonance, non-visualization of known cerebral aneurysm, 110
Angioma, cavernous, intramedullary, oblique corpectomy in, 435
Angioplasty, transluminal, intra-arterial papaverine and, treatment of cerebral vasospasm, 75
Arachnoid cyst
  epilepsy and, 687-le
  posterior fossa, 376
Arteriovenous fistula
  dural
    around jugular valve, 174
    tentorial, petrosal approach, 164
  vertebral, same place as previous ruptured aneurysm, 168
Arteriovenous malformation (AVM)
  cerebral vasospasm after, angioplasty and papaverine for, 75
  dural, manifesting as dementia, ischemia in bilateral thalami, 489
  dural, tentorial, petrosal approach, 164
  endoscopic procedures for resection, 641
  posterior fossa, cerebellar artery aneurysms associated with, 146
  thoracolumbar, intraventricular hemorrhage as sign of, 430
Aspiration, stereotactic, management of tuberculous brain abscess, 443
Astrocytoma, suprasellar pilocytic, symptomatic vasospasm after resection of, 521
Atherosclerosis
  carotid artery stenosis, hyoid bone compression in, 650
  giant fusiform aneurysm, basilar artery, 89140
Autopsy, *Clostridium perfringens,* postoperative spinal surgery meningitis, 448

B

Balloon occlusion test, giant fusiform aneurysms, parent artery clipping for, 89
Basal meningocele, transsphenoidal encephalocele, transcranial approach, 252
Basilar artery, giant fusiform aneurysm, 89140
Bell's palsy, facial nerve decompression, for polyneuropathy, 198
Benzodiazepine, central receptors, ^{123}I-iomazenil imaging, in moyamoya disease, 158
Blood flow, cerebral

© 1999 by Elsevier Science Inc.
655 Avenue of the Americas, New York, NY 10010

0090-3019/99/$–see front matter
SSDI 0090-3019

intra-arterial papaverine for treatment of vasospasm, 66
neuropsychological study and, unruptured cerebral aneurysm, 132
omental transposition for infarction, 343
vasospasm and, clot removal effects, 81
Bone, primary replacement, compound depressed skull fracture, infection rate, 452
Bone screws, fixation of odontoid fracture, 236
BOOK REVIEWS
American Surgeon: An Illustrated History, 468
Clinical Neuromythology, 469
Head Injury: Information and Answers to Commonly Asked Questions, 468
Principles and Practice of Pediatric Neurosurgery, 468
Sports-Related Concussion, 469
Brain
abscess
postcraniotomy gas-containing, 568
Streptococcus intermedius, 219
tuberculous, stereotactic aspiration in management of, 443
ischemia, measurement by tissue oxygen, carbon dioxide, and pH, 654
metastasis. *see* Metastasis
Brain stem
distortion, post-traumatic, 613
epidermoid cyst, 687-le
Brain tumor
anterior foramen magnum meningioma, stereotactic radiosurgery for, 268
astrocytoma, symptomatic vasospasm after resection of, 521
choroid plexus papilloma, cerebellopontine angle, 621
hormone-active, malignant prolactinoma, 47
infiltration, glioblastoma, at autopsy, 292
large jugular foramen schwannoma, recovery of hearing after removal, 60
medial, resection with hearing preservation, 548
mediosuperior cerebellar, occipital interhemispheric transtentorial approach, 421
multiple, neurofibromatosis type 2 with, twins, 528
solitary fibrous, meninges, 636
Bromocriptine, malignant prolactinoma, 47
Brown-Séquard syndrome, myelopathy, with cervical lesions, prognosis, 241
Bypass surgery, non-anastomotic, childhood moyamoya disease, 404

C
Carbon dioxide, brain, measurement of ischemia, 654
Carotid artery
arteriosclerotic stenosis, CT angiography, 300
common, dissection, blunt neck injury, 513
internal
bifurcation, embolectomy of acute embolic occlusion, 313
direct cervical internal access for aneurysm treatment, 506
ophthalmic segment, aneurysm of, retrograde suction technique, 129
stenosis
endarterectomy, cerebrovascular reactivity before and after, 321
primitive hypoglossal artery, 310
Carotid endarterectomy
cerebrovascular reactivity before and after, 321
hyoid bone compression in carotid artery stenosis, 650
thyrocervical-vertebral artery transposition, 327
Cauda equina, schwannoma of, subarachnoid hemorrhage attributable to, 373
Central nervous system, involvement by lymphomatoid granulomatosis, male child, 258
Cerebellar artery
anterior inferior, ruptured, embolization of, 509
posterior inferior, posterior fossa AVM and, 146
Cerebellar hemorrhage
after supratentorial craniotomy, compression of internal jugular vein, 500
traumatic acute subdural hematoma, successful treatment, 247
Cerebellopontine angle
choroid plexus papilloma, 621
cyst, posterior fossa, 376
solitary sarcoid granuloma of, 185
Cerebellum
clear cell ependymoma, mimicking hemangioblastoma, 281
tentorium, occipital interhemispheric transtentorial approach, 421
Cerebral artery, occlusion, revascularization of, simple indicator, 332
Cerebral infarction
after resection of astrocytoma, 521
omental transposition for, 343
Cerebral ventricles, third, lesion, masquerading as suprasellar disease, 177
Cerebrospinal fluid (CSF), shunt, migration, cervical myelopathy due to, 27
Cerebrovascular reactivity, before and after carotid endarterectomy, 321
Cervical anterolateral approach, intramedullary cavernous angioma, 435
Cervical disc, projection, posterior aspect of cervical spine, 363
Cervical instability, delayed post-traumatic, 588
Cervical osteophyte, posterior decompression of vertebral artery narrowed by, 495
Cervical spine
delayed post-traumatic instability, 588
Mycobacterium tuberculosis, 21
Cervical spondylosis, Brown-Séquard-type myelopathy, with cervical lesions, prognosis, 241
Cervical vertebrae, projection of cervical disc and uncinate process, 363
Chiari malformation, syringomyelia with, pediatric, 383
Chordoma, atypical forms of spinal tuberculosis, 602
Choroid plexus, papilloma
akinetic mutism after, dopamine agonist treatment, 181
cerebellopontine angle, 621
Circle of Willis, giant fusiform aneurysms, parent artery clipping for, 89
Circulatory arrest, radical surgery using, giant Galen's vein aneurysm, 153

Clivus fracture, post-traumatic brain stem distortion, 613
Clostridium perfringens
postcraniotomy gas-containing abscess, 568
postoperative spinal surgery meningitis, 448
c-myc oncogene, family expression, glioblastoma and survival, 536
Complications
penetrating intracranial wooden object, 617
postoperative spinal surgery meningitis, *C. perfringens,* 448
from spinal surgery, 230-le
Computed tomography (CT)
acute middle cerebral artery occlusion, ultra-early embolectomy, 332
arteriosclerotic stenosis, carotid artery, 300
cerebral vasospasm, intra-arterial papaverine for, 66
3D, ossification of thoracic yellow ligament, 368
lymphomatoid granulomatosis, male child, 258
multicentric malignant gliomas, 554
penetrating intracranial wooden object, 617
traumatic acute subdural hematoma, successful treatment, 247
ventrointermediate nucleus, thalamus, 674
vertebral osteoblastoma, 426
Consciousness, loss of
primitive hypoglossal artery and, 310
thoracolumbar AVM, 430
Contralateral approach, clinoid and paraclinoid aneurysms, 477
Corporate socialized medicine, 473-ed
Cosmetic surgery, osteoplastic craniotomy, chisel and hammer, 571
Cranial defects, fibrin glue for, 350-le
Cranial fossa, posterior, traumatic acute subdural hematoma, 247
Cranial nerves, transient postoperative deficit of, 223
Craniectomy, retromastoid, for microvascular decompression, effects of cranioplasty after, 191
Craniocervical junction, tuberculosis, 21
Cranioplasty
after retromastoid craniectomy, for microvascular decompression, 191
compound depressed skull fracture, postoperative infection, 452
Craniotomy
cosmetic osteoplastic, with chisel and hammer, 571
gas-containing abscess after, 568
supratentorial, cerebellar hemorrhage after, 500
Craniovertebral junction, lesions, transoral operation for, 16

D

Dementia, dural AVMs manifesting as, ischemia in bilateral thalami, 489
Detachable coils, direct cervical internal carotid access, aneurysm treatment, 506
Dopamine agonist, treatment, akinetic mutism after fourth ventricle choroid plexus papilloma, 181
Dorsum sellae, meningioma, mimicking pituitary macroadenoma, 543
Drainage bag, superabsorbent polmer, 464
Dural flap, non-anastomotic bypass surgery, childhood moyamoya disease, 404
Dural substitute, procine small intestinal submucosa, 99
Dura mater, solitary fibrous tumor, meninges, 636

E

Editorials
The business of surgery, 113, 347, 577
Medical warriors: Fighting corporate socialized medicine in America, 473
Neurosurgical heritage: Fathers/sons/daughters in neurosurgery, 680
The New England Journal of Medicine report on unruptured intracranial aneurysms, 227
The Power of the Individual, 466
Some thoughts about what the youngest people in medicine are thinking, 587
What are physicians thinking?, 584
Elderly patients
displaced type II odontoid fractures, transarticular screw fixation, 596
pituitary adenoma, surgical treatment, 261
Electrical stimulation, vagus nerve, for epilepsy, removal of electrodes after, 659
Embolectomy
acute embolic occlusion, internal carotid artery bifurcation, 313
ultra-early, acute middle cerebral artery occlusion, 332
Embolism, embolectomy, internal carotid artery bifurcation, 313
Embolization
dorsum sellae meningioma, mimicking pituitary macroadenoma, 543
ruptured aneurysm of distal anterior inferior cerebellar artery, 509
transvenous
dural arteriovenous fistula around jugular valve, 174
vertebral arteriovenous fistula, 168
Endarterectomy, *see* Carotid endarterectomy
Endoscopy, resection, arteriovenous malformations, 641
Endovascular surgery, traumatic intracranial aneurysms, secondary to gunshot wounds, 31
Ependymoma
cerebellar clear cell, mimicking hemangioblastoma, 281
malignant, 630
Epidermoid cyst, brain stem, 687-le
Epidural hematoma, caused by small cell lung carcinoma, 56
Epilepsy
arachnoid cyst and, 687-le
surgery, quantitative stereotactic PET contribution, 202
vagus nerve stimulation therapy, removal of electrodes after, 659

F

Facial nerve, decompression, for polyneuropathy, 198
Fibrin glue, for cranial defects, 350-le
Fixation
internal, odontoid fracture, 236
posterior C1-C2 transarticular, displaced type II odontoid fractures, geriatric, 596

Foramen magnum, anterior meningioma, stereotactic radiosurgery for, 268
Foraminotomy, projection of cervical disc and uncinate process, cervical spine, 363

G
Galen's vein, giant aneurysm, radical surgery using total circulatory arrest, 153
Glial neoplasm, malignant, extraventricular cerebral anaplastic ependymomas, 630
Glioblastoma
  c-myc oncogene family expression in, survival and, 536
  VEGF expression, at autopsy, 292
Glioma, malignant, multicentric, radiographic incidence of, 554
Globus pallidus, tonic, phasic, and kinesthetic activity, Parkinson's disease, 665
Grading scale, aneurysm, optimal clip application, 117
Granuloma, solitary sarcoid, cerebellopontine angle, 185

H
Hammer, chisel and, cosmetic osteoplastic craniotomy, 571
Head injury
  compound depressed skull fracture, bone replacement, infection rate, 452
  golf-related, 580-le
  mild, skull osteolysis after, 43
  traumatic acute posterior fossa subdural hematoma, 247
Hearing
  preservation of, suboccipital resection of medial acoustic neuroma, 548
  recovery of, after removal of large jugular foramen schwannoma, 60
Hemangioblastoma, cerebellar clear cell ependymoma or, 281
Hematomyelia, chronic progressive, MRI, 559
Hydrocephalus, flow-controlled or pressure-controlled shunts, 105
Hyoid bone, compression, role in carotid artery stenosis, 650
Hypoglossal artery, primitive, stenosis of carotid artery and, 310
Hyponatremia, dorsum sellae meningioma, mimicking pituitary macroadenoma, 543

I
Infection
  nonshaved cranial neurosurgery and, 458
  postoperative, bone replacement after compound depressed skull fracture, 452
Interferon-alpha, response of brain metastasis, renal cell carcinoma, 289
Intestine, small, submucosa, porcine, use as dural substitute, 99
Intracranial abscess, sterile, muslin-induced, visual loss after, 566
Intrathecal delivery, morphine, intractable pain in pancreatic cancer, 6, 12
Intraventricular hemorrhage, sign of thoracolumbar AVM, 430
^{123}I-Iomazenil, SPECT, neuronal loss in moyamoya disease, 158
Irradiation, low-dose, head, multiple meningioma, 274
Ischemia
  bilateral thalamic, dural AVMS manifesting as dementia, 489
  cerebral, measurement by tissue oxygen, carbon dioxide, and pH, 654
Ischemic attack, stenosis of carotid artery, primitive hypoglossal artery, 310

J
Jugular foramen, large schwannoma, recover of hearing after removal, 60
Jugular valve, dural arteriovenous fistula around, after embolization, 174
Jugular vein, internal, compression, cerebellar hemorrhage, 500

K
Ki-67 LI, expression, glioblastoma, in autopsy, 292

L
Laminectomy, postoperative spinal surgery meningitis, 448
Laminotomy, projection of cervical disc and uncinate process, cervical spine, 363
Limbic epilepsy, stereotactic PET use in, 202
Lung cancer, small cell, cause of epidural hematoma, 56
Lymphomatoid granulomatosis, exclusive central nervous system involvement, male child, 258

M
Magnetic resonance imaging (MRI)
  chronic progressive hematomyelia, 559
  completely thrombosed giant aneurysm, recanalization of, 94
  diffusion, acute stroke, 575
  dorsum sellae meningioma, mimicking pituitary macroadenoma, 543
  lymphomatoid granulomatosis, male child, 258
  multicentric, malignant gliomas, 554
  non-visualization of known cerebral aneurysm, 110
  post-traumatic brain stem distortion, 613
  third ventricular lesion, masquerading as suprasellar disease, 177
  tuberculosis of the craniocervical junction, 21
  ventrointermediate nucleus, thalamus, 674
  vertebral osteoblastoma, 426
Malformations, lesions of the craniovertebral junction, transoral operation for, 16
Medulloblastoma, third ventricular lesion, masquerading as suprasellar disease, 177
Meninges, solitary fibrous tumor, 636
Meningioma
  anterior foramen magnum, stereotactic radiosurgery, 268
  dorsum sellae, mimicking pituitary macroadenoma, 543

multiple, skull base, 274
petroclival, skull base approaches, 412
solitary fibrous tumor, 636
solitary sarcoid granuloma, cerebellopontine angle, 185
Meningitis, postoperative, *C. perfringens,* 448
Metastasis
brain, renal cell cancer, response to interferon-alpha, 289
cerebral, small cell lung carcinoma, 56
malignant prolactinoma, 47
Microneurosurgery, traumatic intracranial aneurysms, secondary to gunshot wounds, 31
Microrecording, tonic, phasic, and kinesthetic activity, pallidal discharges in Parkinsons, 665
Microsurgery
oblique corpectomy, intramedullary cavernous angioma, 435
skull base approach, petroclival meningioma, 412
Microvascular decompression, retromastoid craniectomy for, effect of cranioplasty after, 191
Morphine, intrathecal, intractable pain in pancreatic cancer, 6, 12
Moyamoya disease
childhood, non-anastomotic bypass surgery for, 404
neuronal loss in, evaluation by ^{123}I-iomazenil SPECT, 158
Mutational analysis, neurofibromatosis type 2, with multiple brain tumors, twins, 528
Myelopathy
Brown-Séquard-type, with cervical lesions, prognosis, 241
cervical, migration of Torkildsen's shunt, 27
multilevel cervical spondylosis with, 4
Myocardial infarction, spinal epidural hematoma after, 349-le

N

Neck, blunt injury, dissection of common carotid artery, 513
Neural arch, tuberculosis, 602
Neurocybernetic prosthesis, vagus nerve stimulation, for epilepsy, 659
Neurofibromatosis
Type 2, multiple primary brain tumors in twins, 528
Type 1
peripheral nerve tumors, Ras pathway activation, 211
vertebral arteriovenous fistula, 168
Neurofibromin, expression peripheral nerve tumors, Ras pathway activation, 211
Neuropathy, trigeminal sensory, facial nerve decompression for, 198
Neuropsychological evaluation,cerebral blood flow study and,patients with unruptured aneurysms, 132
Neuroradiology, clear cell ependymoma, mimicking hemangioblastoma, 281
Neurosarcoidosis, solitary sarcoid granuloma, cerebellopontine angle, 185
Neurosurgery
Brown-Séquard-type myelopathy, with cervical lesions, prognosis, 241
the business of surgery, 110-ed
career modification, 579-le
cranial, nonshaved, 458
cranial nerves, transient postoperative deficit of, 223
fathers/sons/daughters, heritage, 680-ed
in Japan, interview with Professor Handa, 679
microvascular, using total circulatory arrest, giant Galen's vein aneurysm, 153
multiple skull base meningioma, 274
neuropsychological study before and after, unruptured cerebral aneurysm patients, 132
transoral approach, lesions of the craniovertebral junction, 16
Nuclear bone scintigraphy, vertebral osteoblastoma, 426

O

Oat cell carcinoma, lung, epidural hematoma caused by, 56
Oblique corpectomy, intramedullary cavernous angioma, 435
Occipital condyle, tuberculosis of the craniocervical junction, 21
Occipital interhemispheric transtentorial approach, cerebellar tumors, 421
Odontoid fracture
anterior screw fixation of, 236
displaced type II, posterior C1-C2 transarticular fixation, geriatric, 596
Omental transposition, for cerebral infarction, 343
Operating room management, 577-ed
Ossification, thoracic yellow ligament, surgical approach, 368
Osteoblastoma, vertebral, radiologic structural changes, 426
Osteolysis, skull, after mild head trauma, 43
Outcome
Brown-Séquard-type myelopathy, with cervical lesions, prognosis, 241
functional, retromastoid craniectomy for microvascular decompression, 191
neurologic, transoral approach for lesions of the craniovertebral junction, 16
traumatic acute posterior fossa subdural hematoma, 247
Oxygen, brain, measurement of ischemia, 654

P

Pain, cancer, pancreatic, intrathecal morphine for, 6, 12
Pallidotomy, tonic, phasic, and kinesthetic activity, in Parkinson patients, 665
Pancreatic cancer, pain, intrathecal morphine for, 6, 12
Papaverine, intra-arterial
transluminal angioplasty and, cerebral vasospasm, 75
treatment of cerebral vasospasm after aneurysm, 66
Papilloma, choroid plexus, akinetic mutism after, dopamine agonist treatment, 181
Parkinson's disease, tonic, phasic, and kinesthetic activity, microrecording of, 665
Pediatrics, syringomyelia, with Chiari malformation, 383
Percutaneous transluminal angioplasty, morphological changes after, 399
Pericranial flap, transsphenoidal encephalocele, transcranial approach, 252

Peripheral nerve, tumors, neurofibromatosis Type I, Ras pathway activation, 211
Petrosal approach, obliteration of tentorial dural arteriovenous fistula, 164
pH, brain, measurement of ischemia, 654
Pituitary adenoma
  dorsum sellae meningioma mimicking of, 543
  malignant prolactinoma, 47
  surgical treatment, elderly patient, 261
Pituitary gland
  abscess, sleep attacks, 564
  cancer, malignant prolactinoma, 47
Polymer, suberabsorbent, use for drainage bag, 464
Polyneuropathy, facial nerve decompression for, 198
Positron emission tomography (PET), stereotactic, in temporo limbic epilepsy, 202
Posterior fossa, arachnoid cysts, 376
Prolactinoma, malignant, 47
Proto-oncogenes, *c*-myc family expression, glioblastoma, 536

R

Radiation therapy, choroid plexus papilloma, cerebellopontine angle, 621
Radiologic studies, choroid plexus papilloma, cerebellopontine angle, 621
Radiosurgery, stereotactic, anterior foramen magnum meningioma, 268
Ras pathway, aberrant activation, neurofibromatosis Type I peripheral nerve tumors, 211
Recanalization, completely thrombosed giant aneurysm, 94
Renal cell carcinoma, brain metastasis of, response to interferon-alpha, 289
Respiratory arrest, thoracolumbar arteriovenous malformation, 430
Revascularization
  after parent artery clipping, giant fusiform aneurysms of Circle of Willis, 89
  non-anastomotic bypass surgery, childhood moyamoya disease, 404

S

Sacral tumors, atypical forms of spinal tuberculosis, 602
Sarcoidosis, solitary sarcoid granuloma, cerebellopontine angle, 185
Schwannoma
  jugular foramen, recovery of hearing after removal, 60
  spinal subdural hemorrhage attributable to, cauda equina, 373
  vestibular, suboccipital resection with hearing preservation, 548
Scoliosis, pediatric syringomyelia, with Chiari malformation, 383
Seizures, vagus nerve stimulation therapy, removal of electrodes after, 659
Shunt
  flow-controlled, pressure-controlled and, 105
  ventriculocisternal, migration, cervical myelopathy due to, 27
Single photon emission computed tomography (SPECT)
  cerebral aneurysm, clot removal effects, 81
  ^{123}I-iomazenil, in moyamoya disease, 158
Skip lesions, atypical forms of spinal tuberculosis, 602
Skull base
  dural arteriovenous fistula, surgery with petrosal approach, 164
  multiple meningioma, 274
Skull base approach, petroclival meningioma, 412
Skull fracture
  compound depressed, replacement of bone fragment, infection and, 452
  traumatic acute subdural hematoma, 247
Sleep attacks, pituitary abscess and, 564
Small cell carcinoma, lung, epidural hematoma caused by, 56
Spinal artery, anterior, ruptured aneurysm, 608
Spinal cord
  injury, functional improvement, 231
  intramedullary cavernous angioma, 435
Spinal epidural hematoma, after myocardial infarction, 349-le
Spinal surgery, prevention of complications, 230-le
Spinal tuberculosis, atypical forms, 602
Spinal tumor
  atypical forms of tuberculosis, 602
  subdural hemorrhage attributable to, cauda equina, 373
Spine, chronic progressive hematomyelia, MRI, 559
Spondylitis, atypical, 602
Spondylosis
  multilevel cervical, with myelopathy, 4
  osteophytes compressing vertebral artery, 495
Stenosis
  arteriosclerotic, carotid artery, CT angiography, 300
  parent vessel, optimal clip application, intraoperative angiography, 117
Stereotaxy
  tonic, phasic, and kinesthetic activity, Parkinson's disease, 665
  ventrointermediate nucleus, thalamus, MRI and CT images, 674
Streptococcus intermedius, brain abscess caused by, 219
Stroke, acute, diffusion MRI in, 575
Subarachnoid hemorrhage
  aneurysmal, intra-arterial papaverine for treatment, 66
  aneurysm surgery for, clot removal effects on blood flow and vasospasm, 81
  attributable to schwannoma, cauda equina, 373
  PICA aneurysms, posterior fossa AVM and, 146
  ruptured spinal artery aneurysm, 608
  vasospasm after
    early surgery effects, 392
    percutaneous transluminal angioplasty, 399
Subarachnoid shunt, migration, cervical myelopathy due to, 27
Subdural hematoma, traumatic acute posterior fossa, successful treatment, 247
Suboccipital approach, resection of medial acoustic neuroma, hearing preservation and, 548
Suction decompression technique, aneurysm of ophthalmic segment, carotid artery, 129
Suprachiasmatic recess, third ventricular lesion, 177
Suprasellar tumor, third ventricular lesion masquerading as, 177

Surgery. *see also* Neurosurgery; specific type of surgery
early, effects on vasospasm after subarachnoid hemorrhage, 392
pituitary adenoma, elderly patient, 261
stabilization, cervical instability, 588
Syringomyelia, pediatric, with Chiari malformation, 383

T

Tentorium, dural arteriovenous fistula, obliteration with petrosal approach, 164
Thalamotomy, ventrointermediate nucleus, MRI and CT images, 674
Thalamus, ischemia in, dural AVMS manifesting as dementia, 489
Thrombosis, giant aneurysm, recanalization of, 94
Thrombus, giant fusiform aneurysm, basilar artery, 89140
Thyrocervical, to vertebral artery transposition, ipsilateral carotid endarterectomy and, 327
Transcranial approach, transsphenoidal encephalocele, 252
Transoral approach, lesions of the craniovertebral junction, 16
Transsphenoidal encephalocele, transcranial approach for, 252
Trauma
blunt injury to neck, dissection of common carotid artery, 513
gunshot wound, intracranial aneurysm secondary to, multidisciplinary approach, 31
head, mild, skull osteolysis after, 43
penetrating intracranial wooden object, CT, 617
post-traumatic brain stem distortion, 613
Trigeminal-facial reflex, facial nerve decompression for, 198
Tuberculosis
brain abscess, stereotactic aspiration in management of, 443
craniocervical junction, 21
spinal, atypical forms, 602
Twins, monozygotic, primary brain tumors, neurofibromatosis type 2 with, 528

U

Ultrasonography, B-mode Doppler, traumatic dissection of common carotid artery, 513

V

Vagus nerve, stimulation therapy, for epilepsy, removal of electrodes after, 659
Vascular endothelial growth factor (VEGF), expression, glioblastoma, in autopsy, 292
Vasospasm
after subarachnoid hemorrhage, early surgery effects, 392
cerebral
after resection of suprasellar pilocytic astrocytoma, 521
blood flow and, clot removal effects, 81
intra-arterial papaverine and transluminal angioplasty for treatment, 75
intra-arterial papaverine for treatment, 66
percutaneous transluminal angioplasty, 399
Venous infarction, cerebellar hemorrhage, after supratentorial craniotomy, 500
Ventricular decompression, aneurysm surgery, 579-le
Ventrointermediate nucleus, thalamus, MRI and CT images, 674
Vertebral artery
arteriovenous fistula development, same place as ruptured aneurysm, 168
narrowed by cervical osteophyte, posterior decompression, 495
thyrocervical to, ipsilateral carotid endarterectomy and, 327
Visual loss, muslin-induced sterile abscess, after aneurysm repair, 566

X

Xenograft, procine small intestinal submucosa, for dural substitute, 99
X-ray, skull, osteolysis after mild head trauma, 43

Y

Yellow ligament, thoracic, ossification, surgical approach, 368